

MEA Drain Supreme C3000 CI Edge Polymer Concrete Channel 330mm Total Depth C/W DI slotted grate CL E PROFIX

Product Images







Short Description

MEA Drain Supreme C3000 CI Edge Polymer ConcreteChannel 330mm Total Depth C/W DI slotted grate CL E PROFIX

Description

The MEA Drain Supreme CI Edge Channel with Ductile Iron slotted Class E Grate is a durable and reliable drainage solution for commercial and industrial projects. It is made of high-quality polymer concrete and features a cast iron edge rail for added strength and longevity. The Class E ductile iron slotted grate provides larger intakes to allow for higher volumes of stormwater. The system includes the profix rapid locking system to lock and prevent grate movement Features: • Variety of widths and depths available • Made of high-quality polymer concrete for durability and longevity • Cast iron edge rail for added strength and corrosion resistance • Ductile iron heelguard grate • Class E grate Benefits: • Provides efficient drainage of stormwater and other liquids • Helps to protect against flooding • Long-lasting cost-effective solution Applications: • Petrol stations and driveways • Commercial and industrial properties • Cross over drainage

Additional Information

CODE	ACP-153570K2
U.O.M	Each
Material	Polymer Concrete
Channel Depth	330mm
Channel Width	300mm
Range	Supreme
Channel Length	1000mm
Grate Safety	Bicycle Safe
Load Rating	Class E
Locking Type	Profix
Grate Material	Ductile Iron
Channel Meterial	Polymer Concrete
Swatch	no_selection

